

Product datasheet

Specifications



Power Module, 50kW, 400V, for Easy UPS 3-Phase Modular and Easy UPS 3M Advanced

EMPM50KH

Overview

Presentation	A 50kW, 400V power module compatible with the Easy UPS 3-Phase Modular or Easy UPS 3M Advanced uninterruptible power supplies. Available as a power module replacement or for increased capacity.
---------------------	---

Main

Product or component type	Power module
Range of product	Easy UPS 3-Phase Modular
Range compatibility	Easy UPS 3-Phase Modular

Physical

Colour	Black
Height	130 mm
Width	666 mm
Depth	556 mm
Product weight	28 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	27.000 cm
Package 1 Width	59.000 cm
Package 1 Length	88.000 cm
Package 1 Weight	33.814 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	6
Package 2 Height	105.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	215.884 kg

Contractual warranty

Warranty (in months)	12
-----------------------------	----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	53 350 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	487 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	10 kg CO2 eq.
Carbon footprint of the installation phase [A5]	12 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	52 780 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	62 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	F4c2965e-f80d-4830-8cd4-be926afb0f45
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	49
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative



