

# Product datasheet

Specifications



## APC Easy UPS On-Line SRV Battery Pack for 2/3kVA Extended runtime model, 72V

SRV72BP-9A

### Main

Product or component type	External battery pack
Battery type	Lead-acid battery
Provided equipment	User manual Battery cable
Range of product	Easy UPS On-Line

### Batteries & Runtime

Number of battery blocks per string	6
Device mounting	Floor mounted
Number of battery filled slots	1
Number of battery free slots	0
Battery voltage	72 V

### Physical

Colour	Black
Height	336 mm
Width	190 mm
Depth	425 mm
Product weight	38 kg
Mounting mode	Not rack-mountable
USB compatible	No

### Conformance

Product certifications	CE UKCA EAC EN/IEC 62040-1
------------------------	-------------------------------------

### Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 % non-condensing
Operating altitude	0...3000 m
Ambient air temperature for storage	-15...40 °C
Storage Relative Humidity	0...95 % non-condensing

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Storage altitude	0...15000 m
------------------	-------------

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	46.500 cm
------------------	-----------

---

Package 1 Width	56.500 cm
-----------------	-----------

---

Package 1 Length	32.500 cm
------------------	-----------

---

Package 1 Weight	40.200 kg
------------------	-----------

## Contractual warranty

---

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	184 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	149 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	10 kg CO2 eq.
Carbon footprint of the installation phase [A5]	11 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	14 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	5ac12844-46eb-471b-94f1-318e06a714a6
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No

Image of product / Alternate images

Alternative

---

