

Product datasheet

Specifications



APC Easy UPS On-Line SRV Parallel Kit for 6 & 10kVA 1:1



SRVPK001

Overview

Lead time Usually in Stock

Main

Product or component type Parallel wiring module

Provided equipment User manual

Range of product Easy UPS On-Line

Physical

Height 50 mm

Width 70.8 mm

Depth 33.2 mm

Product weight 0.6 kg

Mounting mode Not rack-mountable

USB compatible No

Environmental

Ambient air temperature for operation 0...40 °C

Relative humidity 0...95 %

Ambient air temperature for storage -10...70 °C

Storage Relative Humidity 0...95 %

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 112 mm

Package 1 Width 190 mm

Package 1 Length 240 mm

Package 1 Weight 0.8 kg

Unit Type of Package 2 CAR

Number of Units in Package 2 12

Package 2 Height 358 mm

Package 2 Width 400 mm

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 2 Length	500 mm
------------------	--------

Package 2 Weight	8.2 kg
------------------	--------

Contractual warranty

Warranty (in months)	12
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	158 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	6 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	3 913 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	65
Removable battery	User replaceable
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins